


Reversible Compactor

MVH-208DS (240kg)




MVH-308DS (345kg)



Only for Hatz



MVH-408DS (408kg)



MVH-508DS (525kg)



MVH Specifications

model	weight (kg)	dimensions (mm)	plate size	vibrating frequency Hz (V.P.M.)	centrifugal force (max) kN (kgf)	max. traveling speed (m/min)	max. limited gradeability (%)	power source kW (PS)
MVH-208DSZ	240	H : 1,010 L : 1,310	W: 500 L1 : 720	87 (5,200)	37.0 (3,772)	27	30	Hatz 1B30 diesel (electric start) max. output 4.9 (6.7)
MVH-208DSY	237		W: 600 L1 : 720		35.0 (3,570)	26		
MVH-209DSZ	247	H : 1,030 L : 1,540	W: 445 [595]	73 (4,400)	45.0 (4,600)	27		Yanmar L70N diesel (electric start) max. output 4.9 (6.7)
MVH-209DSY	243		L1 : 860		55.0 (5,600)	28		
MVH-308DSZ	345	H : 1,030 L : 1,570	W: 500 [650]	69 (4,150)	50.0 (5,100)	27		Hatz 1B50 diesel (electric start) max. output 6.7 (9.1) Yanmar L100N diesel (electric start) max. output 7.0 (9.5)
MVH-308DSY	341		L1 : 900		65.0 (6,600)	29		
MVH-408DSZ	408	H : 1,070 L : 1,600	W: 650 L1 : 900	87 (5,200)	37.0 (3,772)	27		Hatz 1D81 diesel (electric start) max. output 8.9 (12.1)
MVH-408DSY	407		W: 500 L1 : 720		37.0 (3,772)	26		
MVH-508DSZ	525	H : 1,030 L : 1,540	W: 445 [595]	73 (4,400)	45.0 (4,600)	27		Honda GX270 gasoline max. output 6.3 (8.6)
MVH-508DSY	521		L1 : 860		55.0 (5,600)	28		
MVH-208GH	210	H : 1,010 L : 1,310	W: 500 L1 : 720	87 (5,200)	37.0 (3,772)	27		Honda GX390 gasoline max. output 8.7 (11.8)
MVH-209GH	217		W: 600 L1 : 720		37.0 (3,772)	26		
MVH-308GH	310	H : 1,030 L : 1,540	W: 445 [595]	73 (4,400)	45.0 (4,600)	27		Honda GX390 gasoline (electric start) max. output 8.7 (11.8)
MVH-408GH	364		W: 500 [650]		55.0 (5,600)	28		
MVH-508GHS	425	H : 1,030 L : 1,570	W: 650 L1 : 900	69 (4,150)	60.0 (6,120)	29		

※ For plate size, [Figure] shows plate size with standard Extension plate (75mm) on each side.

Reversible Compactor

- Smooth forward and reverse drivability make it proper for compaction work in trenches.
- Light sizes are ideal for paving asphalt.

MVH-R60 (68kg)





MVH-128 (122kg)



MVH-158 (165kg)





only for Gasoline



! Point

■ Asphalt Patching



+ Option

■ Water Tank

8.5 For MVH-R60



11 For MVH-128/158GH

13 For MVH-308DSZ



movie



+ Option

■ Moving Cart


For MVH-128/158



For MVH-R60



For MVH-208/209



MVH Specifications

model	weight (kg)	dimensions (mm)	plate size (mm)	vibrating frequency Hz (V.P.M.)	centrifugal force (max) kN (kgf)	max. traveling speed (m/min)	max.limited gradeability (%)	power source kW (PS)
MVH-R60H	68	H: 955 L : 870	W: 350 L1: 480	100 (6,000)	15.0 (1,530)	25	30	Honda GX120 gasoline max. output 2.4 (3.3)
MVH-128GH	122	H: 965 L : 1,030	W: 400 L1: 590	90 (5,400)	23.5 (2,400)	27		Honda GX160 gasoline max. output 3.6 (4.9)
MVH-158GH	148	H: 980 L : 1,140	W: 430 L1: 700		27.0 (2,755)			Honda GX200 gasoline max. output 4.3 (5.8)
MVH-158DZ MVH-158DY	165 162				27.0 (2,755) 25.0 (2,551)	27 26		Hatz 1B20 diesel max. output 3.1 (4.2) Yanmar L48N diesel max. outout 3.5 (4.7)

Reversible Compactor

(Compaction Sensor Models)

MVH-508GH-PAS (440kg)


MVH-508DS-PAS (525kg)



W.650



Mikasa original Diesel Engine Tacho Hour Meter.



Ref.
1.5~2.0ton w.450
2.5~3.0ton w.500
3.0~5.5ton w.650

MVH-408DS-PAS

(408kg)



W.500

MVH-308DS-PAS

(345kg)



W.446



movie


Point



Self locking system



Lifting hook



MVH Specifications

model	weight (kg)	dimensions (mm)	plate size (mm)	vibrating frequency Hz (V.P.M.)	centrifugal force (max) kN (kgf)	max. traveling speed (m/min)	max.limited gradeability (%)	power source kW (PS)
MVH-308DSZ-PAS MVH-308DSY-PAS	345 341	H : 1,030 L : 1,540	W: 445 [595] L1: 860	73 (4,400)	45.0 (4,600)	27	30	Hatz 1B30 diesel (electric start) max. output 4.9 (6.7) Yanmar L70N diesel(electric start) max. output 4.9 (6.7)
MVH-408DSZ-PAS MVH-408DSY-PAS	408 407	H : 1,030 L : 1,570	W: 500 [650] L1: 900		55.0 (5,600) 50.0 (5,100)	28 27		Hatz 1B50 diesel (electric start) max. output 6.7 (9.1) Yanmar L100N diesel (electric start) max. output 7.0 (9.5)
MVH-508DSZ-PAS	525	H : 1,070 L : 1,600	W: 650 L1: 900	69 (4,150)	65.0 (6,600)	29		Hatz 1D81 diesel (electric start) max. output 8.9 (12.1)
MVH-508GH-PAS	440	H : 1,030 L : 1,570	W: 650 L1: 900	73 (4,400)	60.0 (6,120)			Honda GX390 gasoline (electric start) max. outout 8.7 (11.8)

※ For plate size, [Figure] shows plate size with standard Extension plate (75mm) on each side.